
HPL



SIGNATURE

EXTERIOR

COLLECTION

Maa Panel (India) Pvt. Ltd.

Sr. No. 420 At & Po: Amodara(Rampura), Opp. BRS College,
Salal - Rampura Road, Prantij, Sabarkantha - 383210 (Guj.).

Contact : +91 70435 55286

info@maplalupanel.com

Visit us at:
www.maplacp.com

https://twitter.com/maplacppanel

https://www.facebook.com/maplacppanel

ABOUT US

MAPL asks for more! Manufacturing the product and selling it isn't enough. We need more than that. That 'more' is the magic Quality and Commitment. It really needs to be strengthened at core level. That's one of the reasons why MAPL is a strong organization.

MAPL, after enjoying success with Aluminium Extrusion, Maa Panel (India) Pvt. ltd. is now exploring new avenues by creating an exclusive range in the Aluminium Composite Panel industry as well. M/s Maa Panel (India) PVT. LTD. is one of the leading manufacturers of Aluminium composite panels (ACP) in India, with the state-of-art plant at Sabarkhantha in Gujarat under the brand 'MAPL' MAPL is also accredited with ISO 9001-2015 , ISO 14001:2004 certification and ISI CM/L-7200278414 certified by India's most reputed testing institutions.

Our manufacturing facilities feature a perfect ergonomic design and industrial output by team of proficient men aided by world class machines.

CM/L-7200278414

25 YEARS EXPERIENCE WORKING



AHPL

COLLECTION



Decorate

YOUR DREAMS


FEATURES



Green Product




Water & Fungus Proof



Aluminium Based AHPL




Light Weight



Weather Resistant



UV Resistant



Lumiflon Coating



Termite Resistant




Easy to Install



CNC Cutting Possible



Easy to Clean



Wide Range of Colours & Designs



APPLICATION


- Wall Cladding
- Gate Elevation
- Pergola
- Balcony Cladding
- Rafters
- Fences
- Attic Cladding
- Railing
- Louvers
- Outdoor Cladding
- Ceiling
- Canopy

PRECAUTION & CARE

While transporting the panels, they should be protected well against slipping. Make sure that the panels are lifted securely while handling or unloading them. Kindly avoid pushing or pulling them over the edge.

It's important to remove the protective film within 45 day of installation.

The panels must be stocked parallel to the ground on flat and stable supporting panels. They should be in completely flat position. Erroneously storing the panels can lead to permanent damage or deformation.



PRODUCT DIMENSIONS

Standard Sheet Size	1220x2440mm | 1220x3050mm | 1220x3660mm

PRODUCT TOLERANCE

WIDTH	LENGTH	COIL THICKNESS	PANEL THICKNESS
±2.0mm	±4.0mm	±0.02mm	±0.20mm

A NEW EXTERIOR STORY - NATURE REDEFINED

Since time immemorial we have been using traditional wood as one of the prime sources of decoration and embellishment in our homes. Our living spaces have always looked incomplete without wood; their exquisite nature and their utility adding a special layer of appeal. The benefits were many, but traditional wood still lagged behind in mainly three facets: firstly, it was not available in copious quantity, a prerequisite for large-scale projects, secondly, it is subjected to a lot of weather extremities, resulting in a shortened lifespan; thirdly, its maintenance takes a lot of money and efforts.

Keeping all of these aspects in mind, MAPL brings to you MAPL AHPL, an advanced range of aluminium-based high-pressure laminates. In many ways, the durability and elegance of MAPL AHPL far supersedes traditional wood. Unlike wood and other widely used high-pressure laminates available in the market, the MAPL AHPL panels are tough and sturdy.

They are highly resistant to extreme weather as well as harsh, long-lasting climatic conditions. MAPL AHPL is crafted in a state-of-the-art facility under stringent conditions, by using aluminium coils with double-layered Lumiflon coating (highly resistant to dust and dirt). The polyethylene core makes MAPL AHPL resistant to the adverse effects of fungus, termites and water.

And that's not it, the MAPL AHPL range is available in a host of textures, dimension and hues, with the option to customize the colours and dimensions according to one's satisfaction. The prices are reasonable, yet the quality is not compromised. MAPL brand has, in a way, redefined the notion of premium facades and exteriors. MAPL, with its dynamic marketing and sales network across India and beyond, offers services that are par excellence.

Today, be it a mansion, a high-rise, a corporate building, an educational institute or a commercial complex, MAPL AHPL is the preferred material for the exterior cladding needs of many.


AHPL GOLD

AHPL WOODSTAR



NATURAL WOOD

WOOD AESTHETICS ACP *Excellence*



PRODUCT SPECIFICATIONS


PRODUCT RANGE	PANEL THICKNESS	ALUMINIUM DETAILS (ALLOYS)	ALUMINIUM DETAILS (ALLOYS)	BOTTOM COAT THICKNESS
AHPL GOLD	6mm	3000/1100 Series	25-28 µ (2 COAT-2 BAKE)/33-35 (3 COAT - 3 BAKE)	5-7µ
AHPL WOODSTAR	6mm	3000/1100 Series	25-28 µ (2 COAT-2 BAKE)/33-35 (3 COAT-3 BAKE)	5-7µ

AHPL COLLECTION





AHPL-401 PERGO WENGE



AHPL-402 MORBIAN OCRE

Gold Classic Wood Star

AHPL COLLECTION



A CREATIVE REALM OF BEAUTY THAT
SURPASSES ALL ELEMENTS OF ORDINARY




AHPL-403 FORESTE DARK




AHPL-405 TRUE WOOD

● Gold ● Classic ● Wood Star

AHPL COLLECTION



AHPL-406 DUPLEX CHERRY



AHPL-407 SCOTTWOOD

AHPL-408 WOODSTYLE BROWN

AHPL-410 CANADIAN CHERRY

● Gold ● Classic ● Wood Star

AHPL COLLECTION



EACH SURFACE IS A SLEEK
REFLECTION OF BOHEMIAN INNOVATION



AHPL-411 ANTIQUE BURNWOOD



AHPL 412 CAPITAL WOOD



AHPL 413 DARKENED WOODGRAIN

Gold Classic Wood Star

AHPL COLLECTION



AHPL-414 DECOTA BROWN



AHPL 415 MAPLE PAPERWOOD





AHPL 416 NATURAL RAINWOOD

● Gold ● Classic ● Wood Star

AHPL COLLECTION



AHPL-417 BURMA TEAK



AHPL-425 ROYAL CREMA

● Gold ● Classic ● Wood Star



AHPL COLLECTION

EMPOWER YOUR SPACES WITH SPLENDID
AURA OF DESIGN MAGNIFICENCE




AHPL-304 COUNTRY PINE



AHPL-308 MAHOGANY RED



Gold Classic Wood Star



AHPL-309 EBONY




AHPL - 316 CHIFFON

AHPL COLLECTION



AHPL-318 ATLANTIA OAK



AHPL-110 BLACK SILVER

AHPL - 221 BEIGE



AHPL-805 NIGHT GREY






Block Point on Plastered Wall



Aluminium Section
25mm x 50mm x 7.6mm

Aluminium Angle(Clear)
19mm x 19 x 2mm

Rowel plug
25mm



With Rivets (Powder Coated)
SS 25 (Star Headed)

Gap Between Panels(3-6mm)



Without Rivets

Thickness of Sheet	Minimum Distance of Holes to the Edge	Maximum Distance Between the Holes Width	Maximum Distance Between the Holes - Length
6mm	10-20mm	450MM	550



Panels can be in CONVEX or CONCAVE shape

Fixing Details (with Rivets)

- Block Panel and Plastered Wall
- Fix aluminium section on wall, estimation gap of 400-700mm, center-to-center with help of deal vertically
- Pilot hole must be drilled before fastening rivets light
- Size of rivets must be three times the thickness of panel and gauge of aluminium; ensure rivets used are fully threaded



Panels can be in CONVEX or CONCAVE shape

Fixing Details (without Rivets)

- Slightly rub off the surface of aluminium section and portion of panels with the help of sandpaper before applying adhesive on it
- Don't use any silicon in the gap filling
- Maintain a gap of 3mm-6mm in between the planks

mapl acp panel



VERSATILE

Surface Collection

MAKE WAY FOR MESMERIZING
DESIGNS FOR YOUR SPACES